

Power With Nature

Renewable Energy Options
for Homeowners

UPDATED 3RD EDITION

REX A. EWING

PIXYJACK PRESS INC

Index

- air conditioning, 29-30, 33, 34, 44, 163, 171
- air-source heat pump, 168
- alternating (AC) current (*see* inverters)
- amp-hours to watt-hours, 55
- AGM (Absorbed Glass Mat) batteries, 115
- anemometer, 80
- appliances, 33-35, 206-207, 215, 216, 218
- audit, home energy, 18, 35
- axis of house, 23-24, 32

- backup generators (*see* generators)
- basic components - RE system, 210-211
- batteries, 113-127
 - backups and, 39-40, 41-42, 43, 56-57, 152-153
 - cables, 125, 217
 - charge controllers and, 42, 104, 105-106, 107-109, 110-111, 118, 120
 - charging and discharging, 55, 118-119
 - connections, 123-125
 - cost of, 53-54, 57, 59, 116, 117
 - depth of discharge, 118
 - efficiency & temperature, 122-123
 - electrolyte, 115, 119, 121-122
 - equalization, 105-106, 107, 110, 119-120, 121, 132-133
 - hydrogen (H₂) gas, 114, 115, 126-127
 - inverters for, 133 (*see also* inverters)
 - lead-acid, 47, 55, 105, 107, 114, 115, 116, 117, 118, 122
 - maintenance tips, 117-122
 - meter / monitor, 55, 118-119
 - microhydro and, 98
 - number of, 55
 - optimum temperature, 120, 122-123
 - safety with, 47, 114, 115, 119, 125, 146-147
 - sealed, maintenance free, 41, 44, 115, 119
 - sizing worksheet, 55, 223
 - space needed, 47-48, 57
 - temperature sensors, 120-121
 - testing, 118-119
 - types & models, 113-117
 - venting, 47, 114, 120
 - voltage, recommended, 53-54
 - water for, 121-122
 - watt-hours in (formula), 55
 - wiring batteries, 55, 123-125
- battery box, 47, 55, 120, 122-123, 147
- Bergey Windpower, 10, 79, 85, 86, 88, 218, 219
- biomass heating, 182-192
 - corn stoves, 189
 - efficiency of, 183
 - fireplace inserts, 182-183
 - masonry stoves, 185-187
 - pellet stoves, 188, 189
 - tax credits and, 21, 182-183
 - wood-fired boilers, 187-188, 190
 - wood gas, 190-192
 - woodstoves, 182-185, 190
- blackouts, 38, 39, 43, 57, 148, 150, 153-154
- Bogart Engineering, 17, 118
- boilers
 - propane-fired, 16, 187-188, 204, 218
 - wood-fired, 187-188, 190

- cables (*see* battery cables)
- carbon dioxide (CO₂), 29, 38, 182, 190
- carbon monoxide (CO), 156, 190, 192
- ceiling fans, 146, 206
- charge controllers, 104-112
 - batteries and, 42, 104, 105-106, 107-109, 110-111, 118, 120
 - bulk & float settings, 105-106
 - charge & equalize batteries, 105-106
 - cost of, 104
 - DC load control, 111
 - diversion load control, 110-111
 - fuses and breakers, 73-74
 - level of sophistication, 104
 - MPPT, 64, 72, 72, 106, 107-109, 136, 214
 - other uses, 110-111
 - safety, 145
 - sizing for the future, 112
 - solar modules and, 107, 109, 110, 112
 - wind turbines and, 106-107
- cisterns, 194-196, 197
- combiner box, for solar modules, 74, 143-144
- computer interface, with inverters, 135-136, 138
- computers and monitoring systems, 51, 52
- Concorde batteries, 115
- cooling the house, 29-31, 33
 - insulation and, 30-31
- corn stoves, 189, 215
- costs (*see also* rebates; tax credits)
 - batteries, 53-54, 57, 59, 116, 117
 - direct-tied systems, 59
 - financial assistance for, 20-21
 - geothermal, 166-168, 170-171
 - heating and cooling, 167, 185, 187
 - installation, 59-60
 - inverters, 51-52, 59
 - leasing, 60-61
 - microhydro, 103
 - off-grid systems, 59
 - solar heated water systems, 179-180
 - solar (PV) systems, 33, 58-61, 63, 64, 127
 - system monitors, 51-52
 - trackers, 71
 - wind power, 84-85, 87, 90-91
- cross ventilation, 30

- Dankoff well pumps, 198
- daylighting, natural, 25-26
- DC circuits, 146, 147
- DC disconnect, 146
- DC load control, 110, 111, 118
- direct (DC) current (*see* inverters)
- direct grid-tie inverters, 40, 41-43

- disconnect (DC), 146
- diversion load control, 110-111
 - microhydro, 96, 97
- DSIRE (Database of State Incentives for Renewables & Efficiency), 20-21, 180
- eaves, size of, 29
- Efficient Windows Collaborative, 28
- electric refrigerators/freezers, 33-34
- electrical room, space needed, 46-47
- emissivity of windows (*see* U-factor and windows)
- energy audit, 18, 35
- energy consumption of appliances, 33-35, 215, 216
- energy conversion factors, 216
- Energy Star (EPA), 21, 31, 34, 215, 216
- Enertia Building Systems, 31-32
- equalization of batteries (*see* batteries)
- evacuated-tube solar collectors, 169, 176-177, 180
- evaluating your electrical needs, 33-35, 36-37, 215, 217, 220
- evaporative coolers, 29-30
- federal incentives, 20-21, 22
- financial assistance, 20-22
- fireplace insert, high-efficiency, 185
 - tax credits and, 21, 182
- forced-air heating systems, 155, 159-160, 166
- formulas
 - calculating line loss, 224-225
 - microhydro, 101, 226
 - power formula, 37
 - rainwater collection, 201
 - voltage drop, 224-225
 - wind speed conversion, 87
 - watt-hours in batteries, 55
- fuel cells (hydrogen), 126-127
- furnaces (super-efficient), 160
- fuses & breakers, 139, 140, 143-144
 - solar array, 73-74
 - charge controller & batteries, 73-74, 143-144
- generators, backup, 39, 148-153
 - altitude effects, 149
 - electric start, 150
 - grid-tie systems and, 40, 57, 150-151
 - inverters and, 133, 153
 - off-grid systems and, 148-150
 - propane-fired, 40, 149, 150, 207
 - transfer switches, 151-152
 - types, 149-151
 - wood gas, 190-192
- geothermal energy, 33, 182
- geothermal heat pumps (GHP), 162-171
 - closed-loop systems, 165, 168
 - cost, 166-168, 170-171
 - efficiency of, 156, 164, 166-167, 168, 170
 - forced air heating and, 166
 - grid-tied requirement, 167, 170
 - heat exchanger, 163-164
 - hot water heating, 166-167
 - how it works, 163-164
 - open-loop systems, 165-166, 168
 - radiant heating, 166
 - seasonal changes, 169
 - sizing, 166
 - solar hot water comparison, 169
 - Time-Of-Use (TOU) billing, 170
 - tax credits and, 21, 22
 - types, 165-166
- ghost load (current), 34, 134
- GHP (*see* geothermal heat pumps)
- glass coatings for windows, 27-28
- Golden Grain corn stoves, 189
- gravity, microhydro systems, 94-95
- grid-tie or off-grid, 38-45
- grid-tie inverters, 40, 41-43
- grid-tie systems, 38-39, 40, 44
 - battery backup, 40-43, 44, 45, 56-57
 - charge controllers and, 42
 - a comparison, 44
 - cost of, 59
 - drawbacks of, 41, 44
 - generators and, 40, 57, 150-151
 - inverters and, 40, 41-43, 136-137
 - microhydro and, 99
 - safety and, 41-42
 - space needed, 47-48
- grounding a system, 140-141
 - charge controllers, 145
 - microhydro system, 145
 - solar array, 75, 142-144
 - well casings, 142
 - wind turbine/tower, 144-145
- ground-source heat pumps (*see* geothermal heat pumps)
- ground water (*see* water, domestic use)
- Grundfos well pumps, 198, 201
- Harris Hydroelectric, 95, 103
- H-bridge, 129-130
- home heating, 155-161 (*see also* biomass heating; geothermal heat pumps; solar heated water systems)
 - electric heat, 155-156
 - forced air heat, 155, 159-160
 - furnaces (super-efficient), 160
 - propane wall heaters, 156, 205, 206-207
 - radiant in-floor heating, 156-157, 166
 - solar air panels, 160-161
 - woodstoves, 155
- High Utilization Positive (HUP) batteries, 117
- home, increase in value, 20
- hot water, domestic use, 172-176
- HS-Tarm, 188
- hydrogen energy, 126-127
- hydrometer, 119
- incentives (*see* rebates)
- indirect water heater, 172
- installation considerations, 59-60, 181
- insulation, 18, 22, 23, 25, 30-31
- insurance, 22
- intertie inverters, (*see* grid-tie inverters)
- intertie systems (*see* grid-tie systems)
- inverters, 128-138
 - AC/DC conversion, 128-130, 132, 138

- cost of, 51-52, 59
- functions of, 132-136
- generators and, 133, 153
- grid-tie models, 40, 41-43, 136-137
- H-bridge, 129-130
- how they work, 128-130
- modified sine wave models, 130-132
- monitoring, 51, 135-136, 138
- power panels, 47, 134-135
- MPPT, 72, 136, 212-214
- sine wave models, 130-132
- sound from, 47, 113
- space for, 47
- voltage and, 53, 132-133
- irradiance maps, winter & summer, 221
- June comparison, 66-69
- kilowatt-hour (kWh), 33-35, 215
- Kohler generators, 151, 207
- latitude, and angle of solar array, 49, 66-69, 71, 81, 177
- lead-acid batteries (*see* batteries)
- leasing, solar systems, 60-61
- light bulbs, 33, 34, 109, 131, 216, 218
- light tubes, 26
- lightning arrester, 142, 143, 144-145, 217
- lightning protection, 139, 141-142
 - log homes vs. framed homes, 142
 - solar arrays, 141-142, 143-144
 - well casings, 142
 - wind turbine/tower, 141-142, 144-145
- line loss formulas, 224-225
- livestock waterers, on-demand, 202
- log homes, 13, 25, 29, 38, 142, 158, 186, 207, 218
- Low-Emissivity (Low-E) windows, 28
- magnetic declination, 24, 48
- masonry stoves, 185-187
- maximum power point tracking (*see* MPPT)
- meters (*see* multimeter tester; Watts Up? meter)
- microhydro power, 93-103, 226
 - batteries and inverter, 98
 - costs, 103
 - diversion load, 97, 98, 99
 - formulas & conversion factors, 101, 226
 - gravity and, 94-95
 - grid-tied, 99
 - legal implications, 103
 - pelton-type runner, 95, 97
 - penstocks, 94-95, 96, 97, 100, 101, 103
 - power calculations, 100
 - regulator (charge controller), 97, 98
 - safety, 145
 - sizing up the possibilities, 54, 94-95
 - turbine-generator, 96, 98-99, 103
 - variables for, 100-103
- micro-inverters, 137-138
- MK batteries, 115, 116
- modified sine wave inverters, 130-132
- monitoring systems, 51-52
- MPPT (maximum power point tracking), 53, 64, 72, 106, 107-109, 136, 214
- multimeter volt tester, 55, 75, 105, 118, 147
- National Electric Code (NEC), 16, 47, 122, 125, 140, 143, 152
- National Renewable Energy Laboratory (NREL), 68, 79, 221
- natural daylighting, 25-26, 30
- net metering, 43-44, 45
- off-grid systems, 38-39
 - batteries needed, 55
 - cost of, 59
 - during natural disasters, 153-154
 - generators and, 148-150
 - grid-tie comparison, 38-45
 - overview, 38-39
- Ohm's Law, 36-37
- on-demand water heaters, 172-173, 178
- open floor plan, 23-24
- orientation of house and solar array, 23-24, 49-50
- OutBack Power Systems, 45, 104, 109, 134, 135, 143, 218
- overcurrent protection (*see* fuses & breakers)
- parallel wiring, 72-73
- passive solar design, 23-24, 25, 180
 - eaves, 29
 - geothermal and, 170-171
 - insulation/sealing, 30-31
 - natural cooling, 29-30, 33
 - natural daylighting, 25-26, 30
 - orientation of the house, 23-24, 25
 - thermal mass to absorb heat, 24-25, 158, 186
 - windows, 25-26, 27-29
- passive solar heating, 23-26, 32, 45, 170-171, 180
- pellet stoves, 188, 189
- penstocks (*see* microhydro)
- photovoltaic (*see* solar array; solar modules)
- power consumption worksheet, 220
- power panels, 47, 134-135
- power production, seasonal differences, 54, 64
- power point tracking (*see* MPPT)
- Pratt, Doug, 44, 45, 138, 143, 170-171, 209
- propane
 - boilers, 187-188, 204, 218
 - energy, 29, 159, 163, 167, 169, 184, 193, 216
 - generators, 40, 149, 150, 207
 - refrigerators, 109, 112, 192, 206-207
 - wall heaters, 156, 205, 206-207
- Property Assessed Clean Energy (PACE), 22
- property tax exemptions, 20
- propylene glycol, 175-177
- pumping systems for water, 194-201
 - costs, 199, 201
 - inverters/transformers, 200
 - PV considerations, 195, 197, 200, 203
- putting it together safely, 139-147 (*see also* safety)
- PV - photovoltaic (*see* solar array; solar modules)
- radiant floor heat, 24, 156-159, 166
- rainwater collection, 201
- rebates, 21, 22, 60-61, 180

- refrigerators, propane, 109, 112, 206-207
- remote monitoring systems, 51, 52
- return on investment, 20
- safety, 19, 45, 47, 140, 153
 - batteries, 47, 114, 115, 119, 125, 146-147
 - bonding, 141
 - carbon monoxide (CO), 156, 190, 192
 - charge controllers, 145
 - DC disconnect, 146
 - grid-tie inverters and, 41-42
 - grounding, 140-141
 - lightning protection, 139, 141-142, 143-144
 - microhydro, 145
 - putting it together safely, 139-147
 - solar arrays, 141-142, 143-144, 146
 - wind turbines and, 88, 141-142, 144-145
 - wiring, 146-147
- seasonal changes, 23-24
 - power production, 54, 64
 - PV tilt angle, 49, 64, 66-69, 81, 177
 - solar heated water systems, 177, 178-180
- sealing air leaks, 30-31
- selling excess power, 40, 43-44, 56, 99, 170
- shopping for a PV/wind system, 217
- Silicon Controlled Rectifiers (SCRs), 131
- sine wave inverters, 58, 129-132 (*see also* inverters)
- sizing the system, 217-218
 - grid-tied, 56-57
 - number of batteries, 55
 - system voltage, 53-54
- skylights, 26, 30, 74
- SMA America, 83-84, 136-137
- solar air-heating panels, 160-161
- solar array (*see also* solar modules)
 - disconnect, 104, 143
 - distance from house, 66
 - fuses and breakers, 73-74, 142-144
 - grounding, 75, 140-141, 142-144
 - leaving room to grow, 75
 - lightning protection, 140-141, 142-144
 - location of, 49-50, 65-66
 - mounting options, 65-66, 70-71
 - MPPT technology, 64, 72, 107, 109, 110, 112
 - safety and, 141-142, 143-144, 146
 - sizing worksheet, 222
 - southern exposure and, 49, 65-66
 - tilt angle, 49, 64, 66-69, 81, 177
 - trackers, 71
 - wiring, 72-73
- solar cells, how they work, 212-213
- solar electric systems
 - cost, 33, 58-61, 127
 - tax credits and, 21, 22, 43
- Solar Heat Gain Coefficient (SHGC), 27-28
- solar hot water systems, 172-181
 - active systems (cold climates), 174, 180
 - angle of collectors, 177
 - closed-loop drainback systems, 174-175, 178
 - cost of, 179-180
 - evacuated tubes, 169, 176-177, 180
 - flat plate collectors, 174, 176-179
 - installation of, 181
 - passive systems, 173-174
 - pressurized glycol systems, 175-176
 - propylene glycol, 175-177
 - seasonal considerations, 177, 178-180
 - sizing, 178-179, 222
 - solar batch heater, 173-174, 180
 - solar collectors, 176-178, 179, 180
 - surface area for, 177, 178
 - tax credits for, 21, 22, 180
 - tempering valve, 181
 - thermosiphon systems, 174, 178
 - types of, 173-177
 - water usage and, 178-179, 180
- solar hot water vs. geothermal, 169
- solar irradiance maps, winter & summer, 221
- summer comparison, 66-69
- solar modules (*see also* solar array)
 - actual output vs. rated output, 54, 64, 178
 - combiner boxes, 74, 143, 144
 - composition of, 62, 64-65
 - cost of, 33, 58-61, 63, 64, 127
 - efficiency, 54
 - history of, 63
 - laboratory ratings, 54, 64, 178
 - leasing, 60-61
 - mounting options, 65-66, 70-71
 - MPPT technology, 64, 72, 107, 109, 110, 112
 - partial shading problems, 64-65
 - performance drops, 64-65
 - polycrystalline, 62, 63, 64
 - remote workshops and, 58
 - trackers, 64, 71
 - types, 63-65
 - voltage and, 63-65, 66, 72-73
 - wiring in series & parallel, 72-73
- Solar-One HUP batteries, 117
- Solar Pathfinder, 49
- Solar Rating Certification Corporation (SRCC), 21, 161, 176, 178, 179
- solar thermal (hot water) collectors, 176-178
 - evacuated-tube, 169, 176-177, 180
 - surface area needed, 177, 178
 - (*see also* solar hot water systems)
- Southwest Windpower, 79, 86, 219
- space considerations for components, 46-47
- sun, measuring the angle, 66-69
 - seasonal angle, 23-24, 25, 64, 66-69, 177
- Sunny Boy inverter (*see* SMA America)
- Sykes, Michael, 31-32
- system sizing (*see* sizing the system)
- system voltage, 53-54, 72-73
- Takagi, 173
- tankless water heaters, 172-173
- tax credits, 20-22, 43, 180, 182-183
- temperature sensors, batteries, 120-121
- THW cables, 125
- thermal mass, 24-25, 158, 186
- thermostats (digital, programmable), 18, 161
- Time-Of-Use (TOU) billing, 43-44, 45, 170
- towers (*see* wind towers)
- trackers, 71
- Trace (*see* Xantrex)
- transfer switches, for generators 151-152

transformers, 129-130
 TriMetric meter, 17, 118, 134, 218
 Trojan Battery Company, 113, 115, 116, 119
 trombe walls, 24-25
 Tulikivi, 186
 turbines (*see* microhydro turbines; wind turbines)

U-factor and windows, 27-28
 U.S. Department of Energy (DOE), 79, 81, 82
 utility power (*see* grid-tie inverters; grid-tie systems)
 UV light from windows, 28

vacationing, 204-207
 propane generators, auto-starting, 207
 propane refrigerators, 206-207
 turn off non-essential electrical loads, 206
 wall-mounted propane heaters, 205-206
 winterizing the house, 206
 venting of batteries, 114, 115, 120
 voltage drops, 107-108, 224-225
 voltage (V), Ohm's Law formula, 36-37
 voltage (*see* system voltage; volt meter)
 volt meter (multimeter), 15, 34, 75, 105, 118, 147

wall-mounted heaters, 205-206
 water cistern (*see* cistern)
 water, domestic use, 193-203
 cisterns/storage tanks, 194-196, 197
 fire protection, 196
 gravity systems, 201-203
 pumping systems, 194-195, 196-201, 203
 rainwater collection, 201
 wells, 193-194
 water for batteries, 121-122
 water heating (*see also* solar hot water systems)
 geothermal desuper heater, 166, 167, 169
 indirect, 172
 on-demand, 172-173, 216, 218
 water pumping (*see* pumping systems for water)
 water pumpers vs. wind turbines, 91
 watts and watt-hours, 35, 55
 Watts Up? meter, 34, 109, 112, 189, 215
 web-based monitoring systems, 52
 well casings, 142
 well pumps, 194-195, 196-201
 AC or DC, 199-201
 deep-well pumps, 195, 199, 201
 stand-alone systems, 195, 196, 197
 with inverters/transformers, 200
Where is North?, 24, 48
 wind brake, 87, 144, 145
 Wind Energy Manual, 80
 Wind Energy Resource Atlas (NREL), 79
 wind speed, 79-82, 84-86
 conversion formula, 87
 map resources, 219
 wind towers, 51, 78, 82, 85, 87-90
 county/city codes, 88
 free-standing lattice towers, 87-89
 free-standing tubular monopole tower, 88
 gin pole and, 89-90
 guy-wires, 89-90
 guyed-lattice towers, 87
 height, 51, 82
 kits for, 88
 pipe towers, 87, 90-91
 placement, 51, 78
 raising, 89-90
 wind turbines, 77-78, 82-84 (*see also* wind towers)
 AC or DC, 82-83
 average wind speed needed, 79, 80, 82, 84
 batteries, 82-83
 charge controllers, 82-83, 106-107
 comparing to solar, 80-81, 83-84
 components of, 83-84, 86-87
 cost of, 84-85, 87, 90-91
 designs for different wind speeds, 86-87
 efficiency of, 81
 grid-tied, 83-84
 grounding, 144-145
 house location and, 78, 83, 85
 how they work, 82-84, 86-87
 lightning protection, 141-142, 144-145
 locations for, 78, 79-82
 manufacturers, partial list of, 219
 safety and, 88, 141-142, 144-145
 wind brake, 87, 144, 145
 wind speed and, 79-82, 219
 wind, how much is enough?, 79-82
 windows
 coverings for, 26
 eaves and, 29
 Efficient Windows Collaborative, 28
 gas filled, 27
 glazing layers, 27
 jamb liners, 29
 passive solar energy and, 25-26, 27-29
 SHGC (Solar Heat Gain Coefficient), 27-28
 U-factor and, 27-28
 UV films for, 29
 Windy Boy inverter (*see* SMA America)
 winterizing, 206
 wire colors, AC & DC, 125, 144, 147
 Wire Size/Line Loss table, 225
 wiring it safely, 146-147
 wiring
 AC & DC wire colors, 125, 144, 147
 batteries, 55, 123-125
 in series & parallel, 72-73
 solar modules into an array, 72-73
 wood-fired boilers, 187-188, 190
 wood gas, 190-192
 woodstoves, 182-185
 high-efficiency fireplace insert, 182-183, 185
 masonry stoves, 185-187
 worksheets
 battery sizing, 55, 223
 power consumption, 220
 solar array sizing, 222
 workshop, remote electrical, 58
 Xantrex, 58, 104, 105-106, 120, 130, 131-132, 134, 135, 137, 207