

The Smart Guide to
Geothermal

**How to Harvest Earth's Free Energy
for Heating & Cooling**

Donal Blaise Lloyd

Foreword by Michael Hunt

PIXYJACK PRESS INC

Index

“i” represents illustrations or photos

- advantages / disadvantages, 71-73
- AHRI (Air Conditioning, Heating & Refrigeration Institute), 138
- air conditioning (AC), 30, 37, 37-39, 69, 70, 72, 73, 80, 83, 87, 99, 105, 106, 108, 109, 111, 129
- air duct system, 47, 51, 131; see also air conditioning
- air-source heat pumps, 30, 87
- ANSI (American National Standards Institute), 139
- antifreeze, 46, 53, 59. *See also* refrigerant
- area of influence (heat loops), 112
- average annual ground temperatures, 42

- backup systems, 78, 90
- Btu (British thermal unit), 22, 23, 95, 122-129
- building efficiency, 155-156

- careers (GHP), 181-184
- closed-loop systems, 50, 53-60
 - direct exchange , 62-65, 63i, 65i
 - horizontal boreholes, 57, 59
 - horizontal trenches, 54, 54i
 - pond/lake, 53
 - slinky coils, 56, 56i, 72i
 - vertical, 59, 60i, 60-61, 118
- coal, 19-20. *See also* fossil fuels
- combustion, 17-18, 79
- comfort level, 79-80
- commercial/institutional systems, 146-152
 - agriculture/horticulture, 147, 152
 - airports, 150
 - bridges, 148
 - case studies, 149, 151
 - churches, 150
 - gas stations, 148
 - government buildings, 148, 152
- commercial systems *continued*
 - hospitals, 150
 - hotels, 148
 - schools/colleges, 149-150
- comparison of ratings vs. real systems, 128
- compressor, 47-48, 63-64, 78-79, 81, 82, 84, 85, 87-88, 112, 113, 126, 134-135, 154-155
- constant pressure controller, 83-84
- contractors
 - finding, 111-114
 - qualifications, 112-116
 - questions to ask, 113-116
 - warranties, 112-116
- cooling, home. *See* GHP, cooling COP (Coefficient of Performance), 103, 113, 124-129, 137, 138, 140
- copper tubing, 62-64
- cost of operation, 21-25, 22i, 23i
 - costs, 95-100
 - breakdown by segments, 97
 - comparisons, 22, 96-100
 - DX systems, 99
 - online calculators, 95
 - rated by tons, 95
- CSA (Canadian Standards Association), 139

- Database of State Incentives for Renewable Energy (DSIRE), 90, 102
- desuperheater, 61, 72, 85, 88, 97
- DGX. *See* DX systems
- direct exchange systems. *See* DX
- direct financing, 153
- direct-use geothermal, 30, 147
- domestic hot water, 58, 60-61, 85-88
- driveway snow melting, 88
- ductwork in home, 89, 98

- DX (direct exchange) systems, 58,
 - 62-65, 63i, 65i, 66, 112, 149
 - 2-loop concept, 63i
 - area of influence, 112
 - attributes, 64-65
 - boreholes, 65i
 - costing, 99
 - early problems, 64
 - ground acidity, 65
- earth as heat sink, 41
- EER (Energy Efficiency Ratio),
 - 103, 127-129, 137, 138
- efficiencies of heat pumps, 24, 43,
 - 52, 62, 63, 72, 113, 121, 124,
 - 127, 128, 137-138, 140, 153
- efficiency formulas, 124-125
- efficiency ratings, 103, 113, 127-129, 136-139
- electric baseboard heat, 20-21
- electricity, sources of, 21i
 - geothermal power, 31-32
- energy, definition, 122-123
 - transfer of, 131-135
- Energy Star guidelines, 101, 112, 137-138
- federal tax incentives, 72, 79, 91
- finding a contractor, 111-117
- fossil fuels, 17, 18-21
- frequently asked questions,
 - 164-169
- fuel oil, 19-20. *See also* fossil fuels
- future trends, 153-156
 - direct financing, 153
 - geothermal leasing, 153
 - increasing efficiencies, 153, 155-156
 - official installation standards, 156
 - on-board telemetry, 154
 - shortage of installers, 156
 - solid-state compressors, 154
 - variable-speed compressors, 154
- geoexchange. *See* GHP
- GEP (geothermal electric power),
 - 31-32
- Geothermal Heat Pump Consortium, 102
- geothermal leasing, 153
- geothermal reservoirs, 32
- GHP (geothermal heat pumps)
 - advantages, 72-73
 - comfort level, 79-80
 - complexity of install, 73
 - See also* compressors
 - cooling, 47, 48-49, 49i
 - costs, 23-25, 95-100
 - cost effective, 17
 - definition, 15-16, 30-31
 - disadvantages, 73
 - emissions free, 18
 - factors in design, 50
 - fuel storage (none), 18
 - heating, 43, 46-48, 48i
 - how they work, 41-49, 121-129, 131-135
 - installation costs, 72, 96-99
 - long life, 72
 - low cost of operation, 16
 - maintenance, 72, 77-78
 - operating (electrical) costs, 83-88
 - payback, 105-109
 - quiet operation, 72, 79
 - single system for heating & cooling, 49
 - shipments of, 26, 38, 144-145
 - sizing the system, 95-99, 117
 - superior attributes, 16, 30, 158
 - terminology, 26
 - See also* tons
- global marketplace, 143-145
- Got Sun? Go Solar*, 87, 90
- green buildings, 155-156
- ground acidity (DX systems), 65
- ground-source heat pump.
 - See* GHP
- ground-source options
 - factors affecting, 50
 - open vs closed loops, 50-60
- ground temperatures, 41-42, 42i
- growth of GHP market, 144-145

- heat exchanger
 - domestic water, 85, 87
 - GHP, 47-49, 131, 134, 137, 140
 - refrigerator, 45
- heat pump, definition, 42. *See also* GHP
- heat transfer to refrigerant loop, 126-127, 133-135
- heating cost comparison data, 22-23
- heating domestic water, 85-88
- HeatSpring Learning Institute, 88, 98
- heat recovery ventilator, 61
- home heating. *See* GHP
- home's market value, 37, 74-76
- homeowner's insurance, 70
- homeowners' profiles, 33-40, 55, 58, 60-61, 66, 93-94, 118
- horizontal borehole drilling, 57, 59
- horizontal closed-loop trenches, 54, 54i
- horizontal directional drilling (HDD), 57, 59, 100
- HydroHeat, 87
- hydronic coil, 47

- Ideal Gas Equation, 123, 134
- increasing efficiency of GHPs, 153
- installation costs. *See* costs
- installation standards, 112, 136-139, 156
- installation, professional, 65, 111-116
- Institute of Social & Economic Research (ISER), 29
- insurance, homeowners, 70
- ISO (International Standards Institute), 137

- Lake Region Electric Cooperative (LREC), 100
- Laws of Thermodynamics, 122, 132, 134
- leasing, 153
- LEED (Leadership in Energy & Environmental Design), 155
- lever analogy, 130
- loop length, 52

- loop systems
 - three loops (standard), 46-48
 - two loops (DX systems), 62-65, 63i, 65i
- lowest cost of operation, 21-25

- maintenance, 77-78
- Manual J software, 58
- manufacturers (heat pumps), 106, 110, 112, 153, 172-176
- market value of home with GHP, 37, 74-76
- multi-stage compressor, 84

- National Home Builders Association, 156
- natural gas (NG), 19. *See also* fossil fuels
- Natural Resources Canada, Office of Energy Efficiency (OEE), 139
- net metering, 90

- on-board telemetry, 154
- on-demand water heating, 87-88
- open-loop systems, 39-40, 47, 50-52, 52i, 67-70, 115
 - costs, 97-98
 - electricity needed, 67, 70
 - See also* GHP
 - water quality concerns, 51, 68
- operating costs, 83-88

- payback, 105-109, 116
- performance standards of heat pumps, 136-139
- photovoltaic. *See* solar electricity
- plastic pipes, safety of, 69
- pond/lake closed loops, 53
- propane (LP or LPG), 19. *See also* fossil fuels
- pump-&-dump systems, 51. *See also* open loop systems

- radiant heating with GHP, 47, 51, 55, 61, 131
- radioactive decay of earth, 41
- rebates & tax credits, 101-104
- reducing operating costs, 83-88

- refrigerant, 43, 47, 62, 64-65, 84, 85, 123, 126, 135
 - definition, 126
 - in refrigerator, 45, 47
- refrigerant loop, 64, 95, 112-113, 126-127, 133-134, 137
- refrigerator technology, 15, 42-45
- renewable energy
 - earth as source, 16-18, 132
 - solar electricity, 89-92
 - solar water heating, 86, 104
- Return on Investment (ROI), 105-109
- science & technology of heat pumps, 121-135
 - efficiency ratings, 127-129
 - heat transfer, 126-127
 - how heat pumps deliver heat, 131-135
 - refrigerant loop, 126-127
 - super efficiencies, 123-126
 - water-to-air system, 131
 - water-to-water system, 131
- savings calculators, 110
- scroll compressor, 84
- shortage of qualified installers, 156
- sizing GHP system, 95-99, 117
 - ground loop, 99, 115
- slinky coils, 53, 53i, 56, 56i, 72i
- software, 58, 100, 113, 114, 117
- solar arrays, 90-91, 90i, 91i
- solar electricity (photovoltaic), with geothermal, 89-92
 - costs & leasing, 91-92
 - off-grid homes, 92
 - tax credits, 104
- solar energy in earth, 16, 17
- solar water heating, 86, 104
- solid-state compressors, 154
- sources of electricity (US & Canada), 21i
- standards, 112, 136-139, 156
- state energy offices, 177-180
- Sub Terra Energy Systems, 100, 112
- super efficiencies of heat pumps, 123-126
- superior aspects of GHPs, 16-25
- swimming pool heating, 87, 104
- tankless, on-demand water heating, 86
- tax credits, 101-104
 - summary, 103-104
- thermodynamics, laws of, 122, 132, 134
- thermostats, 79, 80-81, 81i
- ton (size rating of heat pump), 51, 53, 54, 56, 59, 85, 95-100, 115, 128
- Total Green Geothermal, 64, 66, 149
- transfer heat from earth, 16
- TXV (thermostatic expansion valve), 45, 47, 135
- US Green Building Council, 155
- utility companies, leasing geothermal loops, 100, 153
- variable-speed compressors, 154
- vertical closed-loop systems, 59, 60i, 60-61, 94. *See also* GHP
- warranties, 65, 72, 112-114
- water heating, 58, 60-61, 85-88
- water quality concerns for open-loop systems, 51, 68, 70
- water well as heat source. *See* open-loop system
- water-to-air system, 47, 51, 55, 61, 131
- water-to-water system, 47, 51, 55, 61, 131
- well source (for GHP). *See* open-loop systems
- Zero Energy Home (ZEH), 155-156

List of Graphics

A-1	Geothermal Heat Pump Systems Compared to Fossil Fuel-Based Systems	17
A-2	Type of Heating in Occupied Housing Units	19
A-3	Sources of Electricity (US & Canada)	21
A-4	Heating Cost Comparison Data	22
A-5	Fuel Cost Comparison of Various Heating Sources.	23
A-6	Projected GHP Cost Advantage	24
3-1	Average Annual Ground Temperatures in North America.	42
3-2	How a Refrigerator Works	44
3-3	3-Loop Transfer of Energy for GHPs.	46
3-4	Geothermal Heating in Winter	48
3-5	Geothermal Cooling in Summer.	49
4-1	Open-Loop Installation	52
4-2	Closed-Loop Horizontal Installation.	54
4-3	Closed-Loop Slinky Coil Installation	56
4-4	Closed-Loop Vertical Installation	60
5-1	2-Loop Transfer of Energy for DX Systems.	63
5-2	DX Borehole Installation	65
9-1	Digital Thermostat Schematic.	81
10-1	Relative Cost of Heating Domestic Water.	86
12-1	Geothermal 3-Ton System Cost Comparison.	98
16-1	Geothermal Super Efficiency.	125
16-2	Comparison of Energy Star Standards vs. Real Systems	128
16-3	Mechanical Advantage Analogy: The Lever	130
18-1	Energy Star Criteria (Tier 1 & 2)	138
19-1	European Market of Geothermal Heat Pumps	144
19-2	Growth of GHPs in the US Market	145