

## Index

*Italic numbers represent photos, graphs or illustrations.*

- Abundant Renewable Energy, 71, 115, 115-116, 119
- AC (alternating current), 30-32
- AC disconnect, 114-115
- Affinity Energy, 58, 88
- AGM (Absorbed Glass Mat) batteries, 125
- air conditioning, 49-50, 51, 137, 169
- amorphous (thin-film) solar modules, 43, 46, 84, 98, 129
- Ampère, André-Marie, 28
- amps (definition), 26-29
- Andersen, Chris & Kimberly (home profile), 64
- anemometer, 67-68
- anti-freeze (for solar hot water systems), 149
- appliances  
energy consumption, 49-51, 168-169  
tips on buying/using, 168, 169
- back-up systems.  
generators, 40, 41  
*See also* inverters
- batch collectors, 143, 147, 156-157
- batteries  
average cost, 41, 43  
how many, 53  
life expectancy, 43-44  
manufacturers, 124-125  
operating temperatures, 60-61  
placement & space needed, 59-62  
types (sealed, lead acid), 41, 44-45, 53, 124-125
- battery-based inverters, 42, 108-112
- battery-based systems, 40, 40-43, 108-112
- Beacon Power, 108, 108-109
- Bergy Windpower, 16, 66-67, 69, 71, 74, 116-117, 118, 119
- bi-directional meter, 19
- bird fatalities from wind turbines, 76
- Blittersdorf, David (home), 16
- BP Solar, 33, 45, 64, 91, 96
- carbon dioxide (CO<sub>2</sub>), reductions from renewable energy, 13, 48, 115
- charge controllers, 40, 46, 51-53, 122-123
- Clean Power Estimator, 16
- closed-loop systems  
geothermal, 161-162  
solar heating, 149-150, 153
- collectors (solar hot water), 133-144, 147, 154, 154-157
- Concorde Batteries, 45
- conserving energy, 47, 48-51, 168  
home energy audit, 135
- contractors, finding & qualifying, 86-87, 127-129
- cost estimates for RE systems, 63, 71-79, 81
- daily watt-hours (formula), 79-81, 171
- Database of State Incentives for Renewable Energy (DSIRE), 17, 18, 20, 85, 145
- DC (direct current), 30-32
- DC combiner boxes, 113, 113
- DC disconnect, 113-114
- DC Power Systems, 43, 128
- Department of Energy (DOE), 51, 66-67, 69-70, 76, 134
- direct grid-tie systems. *See* grid-tie systems
- Direct Power and Water, 99
- disconnects, 59, 109, 113, 113-115
- distance between components, 59, 61-63
- distributed generation, 21-22
- do-it-yourself, 91, 127
- DSIRE. *See* Database of State Incentives for Renewable Energy
- Edison, Thomas, 30-32
- efficiency, 37, 73
- electrical appliances and energy used, 48-51, 168-169
- electricity  
AC/DC explained, 30-32  
basics of, 25-30  
solar cell basics and, 32, 33-37
- electronic interference from inverters, 24
- electrons and electricity, 25-29, 30-32, 33-37
- energy audit for home, 135
- energy conservation, 48-51
- energy consumption of appliances (list), 50, 169
- energy from wind vs. sun, 69, 75-76
- energy offices (by state), 174-177
- Energy Star, 51, 169
- Enphase micro-inverters, 14, 63, 63, 78, 83, 83-84, 101, 101-102, 102
- environmental impact of using solar/wind energy, 13, 47, 48, 115
- evacuated tube (ET) collectors, 144, 144, 153, 153

- Evergreen Solar, 18, 81, 96  
 Ewing, Rex & LaVonne (home profile), 153
- Fat Spaniel, 83  
 FCC (Federal Communications Commission) ratings, 24  
 federal tax credits, 18, 20, 77, 85, 145, 158, 161  
 financial help, 85-88  
 flat plate collectors, 143-144, 158  
 Frietas, Christopher (commentary), 131-132  
 Fronius inverters, 103, 103, 114  
 FSEC (Florida Solar Energy Center), 139, 145, 146, 155, 158  
 future of RE (renewable energy), 131-132
- gel batteries, 125, 125. *See also* batteries
- generators (back-up), 40, 41  
 geothermal (ground-source)  
   heat, 51, 159-164, 161, 162  
   cost and size, 162-163, 164  
   heat exchanger basics, 159-160, 161  
   tax credits & rebates, 161  
   types of systems, 161-163  
 GeoExchange, 163  
 glazing. *See* windows  
 groSolar, 45, 61, 64, 93  
 glycol, 144, 148, 149, 153  
 green building construction  
   natural cooling, 137-138  
   passive solar heating options, 134-138  
   resources on, 139  
   solar air panels, 138-139  
   windows, 136-137, 139  
   *See also* passive solar heating  
 greenhouse example, 140  
 GreenMeter, 84  
 Green Tags, or RE credits, 87-88  
 grid-tie inverters, 101-112
- grid-tie systems, 24, 39-44, 62-63  
   for small spaces & budgets, 62, 63, 78  
   illustrations, 39, 40  
   installation of, 127-130  
   inverters for, 101-112  
   with batteries, 40, 40-41  
   without batteries, 39, 39-40, 47-48  
 ground-source heat pumps. *See* geothermal
- hail resistance (PV panels), 56  
 Hawker Batteries, 125  
 heat exchanger, 140, 148-154, 159-162, 161  
 heating fuel costs, 51  
 heating your home, 134-139, 142, 159-164  
 home value after adding RE, 87, 88  
 homeowner liability coverage, 24  
 horsepower, 29  
 hybrid PV modules, 96, 98
- incentives & rebates, 68, 77, 85-88, 145, 158, 161  
 inductance, 31-32  
 installation of RE systems, 86-87, 127-130  
 Institute of Electrical and Electronics Engineers (IEEE) standards, 22  
 insulation, 51, 134  
 intertie. *See* grid-tie inverters  
   AC & DC, 31, 32  
   battery-based models, 108-112  
   direct grid-tie models, 101-107  
   how they work, 32  
   models not recommended, 104  
   placement & space needed, 59-63  
   sizing, 51-52  
   transformerless, 97
- IREC (Interstate Renewable Energy Council), 85  
 irradiance data (maps), 172
- j-box (junction box), 96-97
- Kerr, John (home profile), 126  
 Kestrel wind turbines, 117, 118, 117-119  
 Kyocera Solar, 13, 36, 96, 100
- Larson, Ron & Gretchen (home profile), 38  
 legal issues, 17-19, 20-24  
 liability coverage, 24  
 light bulbs, 48, 49, 168  
 lightning protection, 112, 126  
 Lovins, Amory, 52
- manufacturers, 178-179  
   batteries, 124-125  
   charge controllers, 122-123  
   inverters, 101-112  
   mounting systems, 99-100  
   solar modules, 95-96  
   wind turbines, 115-122  
 maps (solar / wind), 170, 172  
 meter, 18-19, 92-94  
 Mississippi Solar, 63  
 MK Batteries, 53, 59, 125, 179  
 monitoring. *See* system monitors  
 mounting systems, 55-58, 93, 99, 99-100, 100  
 MPPT charge controllers, 53, 122-123  
 multi-contact (MC) cables, 58, 96-97
- NABCEP (North American Board of Certified Energy Practitioners), 127-128  
 NAHB (National Association of Home Builders), 139  
 NASA and solar energy, 10  
 National Electric Code, 97

- National Renewable Energy Lab (NREL), 13, 67, 76, 139
- NEMA (National Electrical Manufacturers Assoc.), 102
- net metering, 18-19, 92-94
- Next Gen Energy, 99, 99, 154
- North Carolina Solar Center, 85
- n-type silicon, 34-37
- NYSERDA (New York State Energy Research and Development Authority), 64
- ohm, 26-27
- on-demand water heaters, 150, 152, 152, 168
- open-loop systems  
geothermal, 162  
solar heating, 143, 147
- Outback Power Systems, 46, 109, 109-110, 113, 122, 122, 178, 131-132
- Overmyer, Mike & Deborah (home profile), 140, 140
- paperwork & permits, 89-92
- passive solar heating, 46, 51, 164  
design tips, 134-135  
and Trombe walls, 135-136  
*See also* green building construction
- passive thermosiphon, 151
- peel-&-stick PV panels, 84, 98, 129
- permits & paperwork, 89-92
- PG&E of California, 21, 22-23
- photovoltaic (PV) modules. *See* solar modules
- p-n junction, 35-36
- power formula, 168
- power vampires, 49-51
- Pratt, Doug (home profile), 46, 156-157, 162, 164
- Professional Solar Products, 99
- ProgressivTube, 156
- Proven Energy, 71, 73, 75, 119, 119-120
- p-type silicon, 34-37
- PURPA (Public Utilities Regulatory Policies Act), 17-18
- PV connections, 96-97
- PV installations (global), 12, 24
- PV (photovoltaic). *See* solar modules
- PV Powered, 33, 60, 104, 104
- Ramlow, Bob, 142
- reasons for installing an alternative energy system, 12-16
- rebates & incentives, 68, 77, 85-88, 145, 158, 161
- regulations, 21-24
- Renewable Energy Credits (Green Tags), 87-88
- Rocky Mountain Institute, 52
- roof mounting of solar panels, 56, 56-58, 58, 59
- safety equipment, 113-115
- safety issues, 17-24
- Sanyo, 96
- sealed batteries, 41, 44-45, 53, 124-125
- Sharp, 54, 79, 80, 96, 97
- Shell Solar, 10, 21, 31, 35, 86
- silicon, 33-37
- sine wave, 30, 30
- sizing your system, 47-54  
batteries, 53-54  
inverters/charge controllers, 51-52  
worksheets, 171, 173
- SMA inverters (Sunny Boy, Windy Boy, Sunny Island), 36, 64, 76, 79, 82, 83, 92, 105, 105-106, 110, 110-112, 111, 113, 114
- SolaHart, 150
- solar air panels, 138-139, 139
- solar array sizing worksheet, 173
- solar arrays  
energy output, 79-81  
placement, 55-58, 61-62  
tilt angle, 57, 57  
tracking mounts, 100
- solar cells, 13, 33-37  
first modern cell, 9-10  
*See also* solar modules
- Solar Decathlon, 38
- solar energy, growth of the industry, 17-18  
global installations, 12, 24
- solar hot water systems, 141-158  
amount needed, 145-146, 156  
basics of, 141-142  
choosing a system, 146, 147-149, 153, 156, 157  
and climate issues, 147-149, 155-156, 158  
closed-loop systems, 149-150, 153  
collector types, 143-144, 147, 150, 156-157  
home profiles, 153, 156-157  
open-loop systems, 143, 147  
passive thermosiphon, 151  
placement of, 154-156  
tax credits & rebates, 145, 158  
thermosiphon, 151  
water storage tanks, 151-152, 153, 154
- solar irradiance data (maps), 172
- solar modules  
amorphous (thin-film), 43, 46, 84, 98, 129  
comparison chart, 96  
connections, 96-97  
construction of, 98  
efficiency, 37  
energy to manufacture, 13  
hail resistance, 56  
hybrids, 96, 98  
manufacturers, 95-96  
mounting, 56-58, 58, 99-100  
raw materials, 13-14

- solar modules (*continued*)  
 for small spaces & budgets, 62-63, 78  
 thin-film (amorphous), 98  
 useful life spans, 13, 52  
 warranties, 13, 95  
 Solar Pathfinder, 128  
 solar thermal systems. *See* solar hot water systems  
 solar water heating. *See* solar hot water systems  
 Solectria Renewables inverters, 106, 106-107, 114  
 Solmetric SunEye, 128  
 Southwest Windpower, 67, 70, 71, 74, 75, 118, 119, 120, 120-122, 121  
 SRCC (Solar Rating & Certification Corporation) ratings, 139, 145, 146, 155  
 Standard Solar, 27, 79, 90, 91  
 state energy offices, 174-177  
 Stiebel-Eltron, 152  
 Summit Electrical Service, 113, 130  
 Sun Earth, 150  
 Sunlight Solar Energy, 33  
 Sunny Boy. *See* SMA  
 Sunny Island. *See* SMA  
 system monitors, 81-84  
 inverter displays, 81-82  
 remote displays, 82-83  
 web-based, 83-84  
 system sizing. *See* sizing your system  
 system voltage, 54, 61-62  
 Takagi, 152, 152  
 tankless water heater, 150, 152, 152, 168  
 tax credits & rebates, 68, 77, 85, 145, 158  
 Tesla, Nikola, 30, 31-32  
 Thermal Conversion Technology, 143  
 thermosiphon, 150, 150, 151  
 passive, 151  
 thin-film (amorphous) solar modules, 98  
 tilt angle of solar arrays, 57, 57  
 Time-of-Use (TOU) billing, 62, 92, 93  
 towers  
 types of, 73-75, 73, 74  
 height for turbines, 66, 70, 119  
 tracking mounts for solar arrays, 100  
 transformerless inverters, 97  
 transformers, 30-31, 32  
 Triangle Electrical Systems, 36  
 Trombe walls and passive solar, 135-136, 139  
 turbines, 71-73  
 comparison, 71-72, 118-119  
 manufacturers, 115-122  
 power from, 73  
 tower height, 66, 70, 119  
 types of, 73-75  
*See also* wind energy  
 U-Factor. *See* windows  
 U.S. annual wind average (map), 170  
 U.S. Green Building Council, 139  
 UL1741 standard, 21-24, 114-115  
 Unirac, 59, 64, 99, 99, 130  
 Uni-Solar, 43, 46, 84, 96, 98, 98, 129  
 UPS (uninterruptible power supply), 42  
 utility companies, communicating with, 92, 94  
 utility islanding, 23-24  
 Volta, Count, 28  
 voltage (definition), 26-29  
 of an RE system, 54  
 water storage tanks (solar), 151-152, 154  
 Watt, James, 29  
 wattage (definition), 26-29  
 Westinghouse, George, 30-32  
 Willenbring family (home profile), 160  
 wind energy  
 and anemometer, 67-68  
 and bird fatalities, 76  
 "cut-in" wind speed, 70  
 electrical current, 73  
 geography/placement, 65-66  
 for homeowners, 65-76  
 how much wind is enough, 66-70  
 maps & web sites, 66-70, 170  
 power of wind, 68-69, 76  
 tax credits & rebates, 68, 77  
 tower height, 66, 70, 119  
 turbines, 71-75, 115-122  
 U.S. market growth, 67  
 water pumpers, 72, 72  
 wind speed classes, 70, 170  
 Wind Energy Manual (Iowa State University), 68  
 wind speed needed, 66-70  
 windows, 136-137  
 coatings, 137  
 finding the best, 138  
 frame types, 137  
 glazing layers, 137  
 ratings (U-factor, Low-E), 137  
 Windy Boy. *See* SMA inverters  
 worksheets, 171, 173  
 Xantrex inverters, 45, 107, 107, 122, 122  
 Your Solar Home, Inc., 138, 139